


GIADA Q MIDI -en- RECESSED LUMINAIRES O O59

Fixed Downlight, dimensions 165x165mm. Die-cast aluminium body, safety glass, metallized aluminium reflector. Ring with white, black or gray finish. 50 ° beam. Cob leds with cri> 90 designed for the fashion market and for art exhibitions are available too. Power from 17w up to 33w. Opal diffuser available on request.





IP20

RG1



DATA SHEET



CHARACTERISTICS

LED modules: Latest generation COB Led. Other configurations available on request.

CRI 98 A+ ART

W	K	lm	mA	CRI
17	3000	1820	500	98
25	3000	2475	700	98
33	3000	3095	900	98

GIADA Q MIDI -en- RECESSED LUMINAIRES O O59

CRI >90 A+ FASHION

W	K	lm	mA	CRI
17	3250	1925	500	>90
25	3250	2620	700	>90
33	3250	3275	900	>90

CRI >90 A+

W	K	lm	mA	CRI
17	2700	2045	500	>90
17	3000	2095	500	>90
17	4000	2240	500	>90
25	2700	2775	700	>90
25	3000	2845	700	>90
25	4000	3050	700	>90
33	2700	3475	900	>90
33	3000	3560	900	>90
33	4000	3815	900	>90

CRI >80 A++

W	K	lm	mA	CRI
17	2700	2410	500	>80
17	3000	2470	500	>80
17	4000	2575	500	>80
25	2700	3275	700	>80
25	3000	3360	700	>80
25	4000	3500	700	>80
33	2700	4095	900	>80
33	3000	4205	900	>80
33	4000	4585	900	>80

GIADA Q MIDI -en- RECESSED LUMINAIRES O O59

NOTES AND ACCESSORIES

Opal diffuser

Emergency kit SA: 1 hour @350mA.

50° beam.

Availability of standard, dimmable, Dali dimmable and CASAMBI Dali driver.

Luminaires not suitable for covering with thermally insulating material.

Last update: 18 October 2018