

ORION 102-132 -en- LIGHTING SYSTEMS Ø 132


Innovative product that combines design aspects and high-level performances. The innovation of this product consists of the driver concealed in the track, making the classic driver box superfluous. Cob led with cri> 80 from 17w up to 30w, fluxes from 2360lm 2700k up to 4115lm 4000k. Cob leds with cri> 90, designed for the fashion market or for art exhibitions, are available too.

Orion has a die-cast aluminium body, polycarbonate lens diffuser, body and ring white color + glossy chrome reflector. 20°/40°/55° beam. Interchangeable reflectors into the following colors: matt white, matt black, matt chrome, bright gold, glossy copper, red, orange, light blue. There is also the possibility to receive the luminaire with the CASAMBI system for home automation control of lighting.




DATA SHEET

Driver Standard / CASAMBI



Driver Dali



CHARACTERISTICS

LED modules: Latest generation COB Led. Other configurations available on request.

CRI >98 A+ ART

W	K	lm	mA	CRI
17	3000	1820	500	98
25	3000	2480	700	98
29	3000	2790	800	98

ORION 102-132 -en- LIGHTING SYSTEMS O 132

CRI >90 A+ FASHION

W	K	lm	mA	CRI
17	3250	1950	500	>90
25	3250	2650	700	>90
29	3250	3000	800	>90

CRI >90 A+

W	K	lm	mA	CRI
17	2700	1840	500	>90
17	3000	1930	500	>90
17	4000	2030	500	>90
24	2700	2460	700	>90
24	3000	2600	700	>90
24	4000	2730	700	>90
28	2700	2760	800	>90
28	3000	2900	800	>90
28	4000	3050	800	>90

CRI >80 A++

W	K	lm	mA	CRI
17	2700	2145	500	>80
17	3000	2255	500	>80
17	4000	2365	500	>80
24	2700	2880	700	>80
24	3000	3030	700	>80
24	4000	3180	700	>80
28	2700	3220	800	>80
28	3000	3390	800	>80
28	4000	3560	800	>80

ORION 102-132 -en- LIGHTING SYSTEMS O 132

NOTES AND ACCESSORIES

Honeycomb grid.
20°, 40°, 55° beam.
Standard driver included, Dali dimmable driver and CASAMBI Dali driver on request.

Last update: 25 October 2018