

ORION 70-132 -en- LIGHTING SYSTEMS O 131


Innovative product that combines design aspects and high-level performances. The innovation of this product consists of the driver concealed in the track, making the classic driver box superfluous. Cob led with cri> 80 from 12w up to 21w, fluxes from 1705lm 2700k up to 3060lm 4000k. Cob leds with cri> 90, designed for the fashion market or for art exhibitions, are available too.

Orion has a die-cast aluminium body, polycarbonate lens diffuser, body and ring white color + glossy chrome reflector. 20°/40°/55° beam. Interchangeable reflectors into the following colors: matt white, matt black, matt chrome, bright gold, glossy copper, red, orange, light blue. There is also the possibility to receive the luminaire with the CASAMBI system for home automation control of lighting.




DATA SHEET

Driver Standard / CASAMBI



Driver Dali



CHARACTERISTICS

LED modules: Latest generation COB Led. Other configurations available on request.

CRI >98 A+ ART

W	K	lm	mA	CRI
12	3000	1305	350	98
17	3000	1820	500	98
21	3000	2150	600	98

ORION 70-132 -en- LIGHTING SYSTEMS O 131

CRI >90 A+ FASHION

W	K	lm	mA	CRI
12	3250	1380	350	>90
17	3250	1925	500	>90
21	3250	2280	600	>90

CRI >90 A+

W	K	lm	mA	CRI
12	2700	1315	350	>90
12	3000	1380	350	>90
12	4000	1450	350	>90
17	2700	1820	500	>90
17	3000	1915	500	>90
17	4000	2015	500	>90
21	2700	2140	600	>90
21	3000	2250	600	>90
21	4000	2365	600	>90

CRI >80 A++

W	K	lm	mA	CRI
12	2700	1535	350	>80
12	3000	1610	350	>80
12	4000	1690	350	>80
17	2700	2125	500	>80
17	3000	2230	500	>80
17	4000	2340	500	>80
21	2700	2500	600	>80
21	3000	2625	600	>80
21	4000	2755	600	>80

ORION 70-132 -en- LIGHTING SYSTEMS O 131

NOTES AND ACCESSORIES

Honeycomb grid.
20°, 40°, 55° beam.
Standard driver included, Dali dimmable driver and CASAMBI Dali driver on request.

Last update: 25 October 2018